



**제 5 회
합동분과회**

2014年2月22日

在日韓国科学技術者協会
The Korean Scientists and Engineers Association in Japan

목 차

프로그램5

인사말씀

 홍정국(한국과학기술자협회회장)8

초청강연

 「정보セキュリティ 기술의 현황」
 가나가와공과대학 정보학부 교수 박미량 (토호구 대학 공학박사)10

초청연구발표

 「곡면기판상의 마이크로 패턴을 몰드로 이용한 PDMS 롤러스탬프 제작 및 Roll-to-roll 마이크로
 컨택프린팅에의 응용」
 박종호 ; 동경공업대학 정밀공학연구소 특별연구원,공학박사.....19

 「게놈 기반의 16S 리보솜 리보핵산 유전자 데이터베이스」
 김석원 ; 이화학연구소 종합생명의학연구센터 연구원,공학박사.....20

포스터발표.....21

제 5 회 재일과협 합동분과회 포스터발표

A 그룹

| 발표그룹 | 발표제목 | 발표자명 | 분과명 |
|------|---|------|--------|
| A-1 | Factors Determining of the Choice and Patterns of Migration of the Old | 김현정 | 공간지역 |
| A-2 | Democratization of ICT, ICT for Democratization in Asia region | 김은영 | 공간지역 |
| A-3 | Spatial structure of innovation network through network analysis of joint patent networks by comparing Korea and Japan | 임화진 | 공간지역 |
| A-4 | A Study on Setting of Areas for Home-visit and Day-care Service | 김경민 | 건축 |
| A-5 | To Improve Natural Ventilation Strategy for Energy Saving in University Class | 박병용 | 건축 |
| A-6 | A basic research on the analysis of the relationship between brightness image and luminance image for the simplification of the predicted of brightness | 유하늬 | 건축 |
| A-7 | Modeling and Macro-Estimation of Contraction Reduction Behavior in Expansion Concrete | 최형길 | 건축 |
| A-8 | Novel recycling process of Mn from Steelmaking Slag | 김선중 | 금속재료 |
| A-9 | Solution-processed Al ₂ O ₃ for gate dielectrics in Top-Gated Graphene Field Effect Transistors | 박군호 | 금속재료 |
| A-10 | Effect of cobalt addition on the recrystallization and deformation behavior of IN713C nickel-based superalloy | 송전영 | 금속재료 |
| A-11 | Martensitic transformation and superelasticity in Fe-Ni-Co-Al-Ti-B polycrystalline alloy | 이도엽 | 금속재료 |
| A-12 | Epitaxial self-assembly of nanowires on graphene | 이원철 | 기계우주해양 |
| A-13 | AN INTERACTIVE LASER PROJECTION DISPLAY BY A MEMS OPTICAL SCANNER WITH A BUILT-IN LASER RANGE FINDER | 전성호 | 기계우주해양 |
| A-14 | Characteristics of Pedestrian Flow in a Large Transportation Terminal | 안용호 | 도시 |
| A-15 | The Probability of Establishing "Common Interest" between Neighborhood Residents and Real Estate Developers in Construction Disputes | 임수정 | 도시 |
| A-16 | Conservation of the Honganji-Water Pipelines in Kyoto | 김도원 | 도시 |

| | | | |
|------|--|-----|--------|
| A-17 | First-principles study of the physical mechanisms in the resistive random-access-memory | 양문영 | 반도체 |
| A-18 | Defect evolution of Si doping AlN | 조유진 | 반도체 |
| A-19 | Robust watermarking using n-diagonalization based on householder transform | 박재성 | 반도체 |
| A-20 | Effect of the catagen transition induced by epidermal growth factor on a mouse model of chemotherapy-induced alopecia | 윤지선 | 생명과학 |
| A-21 | Pathological findings and immune responses in the canine idiopathic encephalomyelitis | 박은실 | 생명과학 |
| A-22 | Myocardial pathologic manifestations and clinical correlates in dogs with chronic mitral valvular insufficiency at surgical biopsy | 이준석 | 생명과학 |
| A-23 | Identification and Biosynthesis of New Acyloins from the Thermophilic Bacterium Thermosporothrix hazakensis SK20-1T | 박진수 | 생물자원 |
| A-24 | Crystal structure of UDP-glucose 4-Epimerase (GalE) from Bifidobacterium longum | 남영우 | 생물자원 |
| A-25 | Formation of Hexenuronic acid during polysulfide-anthraquinone cooking of hardwood | 윤국진 | 생명총합과학 |
| A-26 | Effects of 5 days ingestion of chlorogenic acids on sleep and energy metabolism | 박인성 | 생명총합과학 |
| A-27 | Selective Separation Behavior of Sr(II) from Simulated High Level Liquid Waste using a Silica-based DtBuCH18C6/SiO ₂ -P Absorbent | 김성윤 | 신에너지환경 |
| A-28 | Parametrically Amplified Micro Mirror Scanner with Tunable Spring | 김진혁 | 신에너지환경 |
| A-29 | Defect Chemistry and Conductivity Characterization of CaTiO ₃ by Scandium doping | 홍현진 | 신에너지환경 |
| A-30 | Physics of organic field-effect transistors: important role of trap states | 조정민 | 유기전자재료 |
| A-31 | 테트라 히드로 몰리브덴 착화합물을 이용한 삼급 클로로 실란의 커플링 반응의 검토 | 이주연 | 유기전자재료 |
| A-32 | Structure and Conduction Mechanism of Lithium Superionic Conductor, Li _{4-x} Ge _{1-x} P _x S ₄ | 권오민 | 유기전자재료 |
| A-33 | 형광면역센서 Quenchbody 를 이용한 세포이미징 | 정희진 | 유기전자재료 |
| A-34 | Performance Degradation Due to Drain-Induced Barrier Lowering in Ultra-Low Supply Voltage CMOS Circuits Operating in Subthreshold Region | 정승민 | 전자정보통신 |
| A-35 | Photo-carrier recombination processes in CIGS solar cells studied by photo-assisted Kelvin probe force microscopy | 용현득 | 전자정보통신 |

| | | | |
|------|--|-----|--------|
| A-36 | El emission from higher energy levels in a homojunction-structured GaP Using dressed-photon-phonon | 김준형 | 전자정보통신 |
| A-37 | Depth Variant Blind Deconvolution for Wide Field Fluorescence Microscopy | 김보영 | 전자정보통신 |
| A-38 | EOT scaling of SiGe gate stack for high performance MOS optical modulators | 한재훈 | 전자정보통신 |
| A-39 | Optimization of Trajectory, Number of Joints and Shape of Links for Multi-Jointed Robot Arm | 김형준 | 정보 |
| A-40 | A Locality-aware Hybrid Network-on-Chip Configuration Algorithm with a Router Soft-core | 이승주 | 정보 |
| A-41 | Study on Work Process Using “State” and “Action” in Building Construction | 최창훈 | 정보 |
| A-42 | STUDY ON ACTUAL USAGE AND MANAGEMENT OF OLD FOLKS’ HOME – Analysis with time in KS home – | 김성룡 | 환경에너지 |
| A-43 | Synthesis and Electrochemical Property of Layer-by-Layer Deposition Structure with Epitaxial Li-Mn oxide and Li-Co oxide | 임재민 | 환경에너지 |
| A-44 | Spectrophotometric study on solubility of lanthanide complexes in supercritical carbon dioxide | 황동기 | 환경에너지 |

B 그룹

| 발표구 분 | 발표제목 | 발표자명 | 분과명 |
|----------|--|------|------|
| B-1 | Comparison Study on the Metropolitan Governance of Korea and Japan | 김민주 | 공간지역 |
| B-2 | An Investigation of Payment Delays in Public Works in Vietnam | 김유진 | 공간지역 |
| B-3 | A Study on The Behavior of Waiting at Platform | 문서현 | 건축 |
| B-4 | Relationships between composition of population and building use according to residential development: A historical approach (2) | 박성원 | 건축 |
| B-5 | A Study on the Architectural Elements which Support Community in Outdoor Space of Housing Complex | 이윤정 | 건축 |
| B-6 | A study on Characteristics of the Sequential space in Consideration of Local Community | 황준호 | 건축 |
| B-7 | Synthesis of novel Eu-doped (Ca,Sr) ₄ Si ₂ O ₇ F ₂ phosphors | 민지홍 | 금속재료 |
| B-8 | ULTRASENSITIVE SI NANOWIRE PROBE FOR MAGNETIC RESONANCE DETECTION | 서용준 | 금속재료 |
| B-9 | Surface Activated Bonding using Metallic Glass Filler | 유승근 | 금속재료 |

| | | | |
|------|---|-----|--------|
| B-10 | Influences of hydrogen patterning gas on electric and magnetic properties of perpendicular MTJs | 전준호 | 금속재료 |
| B-11 | Micro-heaters embedded in PDMS fabricated using dry peel-off process | 변익주 | 기계우주해양 |
| B-12 | Biomechanical Measurement of DNA Degradation under Therapeutic Radiation Beams by Silicon nanotweezers and associated microfluidic cavity | 이지수 | 기계우주해양 |
| B-13 | A Novel In-plane XYθ Ultra-precision Positioning Stage | 황동현 | 기계우주해양 |
| B-14 | A Study on Flame Spread over Polyurethane Block Receiving Effects from Adjacent Walls | 지정훈 | 도시 |
| B-15 | Disaster Anxiety Measurement and Corpus-Based Content Analysis of Crisis Communication | 백승지 | 도시 |
| B-16 | On-Demand Transportation System preparing for Super-Aging Society | 김재열 | 도시 |
| B-17 | Study of regional revitalization by creative activity on declining industrial areas : Cases of Mullae, Seoul and Kitakagaya, Osaka | 이로운 | 도시 |
| B-18 | Deterioration Forecasting Model for Water Pipeline Systems with Competitive Hazard Model | 신취수 | 도시 |
| B-19 | Dense bimetallic nanoparticles 2D arrays as SERS-active sensor | 송예지 | 반도체 |
| B-20 | Control of MoS2 field effect transistor properties by carrier doping | 허시내 | 반도체 |
| B-21 | COMPARISON OF THE CORNEAL EPITHELIAL CELL SHEETS CULTIVATED FROM LIMBAL STEM CELLS IN DOGS | 남은렬 | 생명과학 |
| B-22 | The mechanism of action of measles virus on myopathy | 권현정 | 생명과학 |
| B-23 | The effect of γ-oryzanol administration on fish energy metabolism regulation systems | 한유나 | 생물자원 |
| B-24 | 초호열성고세균 Thermoproteus tenax 유래의 inorganic pyrophosphate 의존성 phosphofructokinase 의 결정구조해석 | 송현진 | 생물자원 |
| B-25 | X-ray crystallography of GH51 alpha-L-arabinofuranosidase from Thermotoga maritima | 임도현 | 생물자원 |
| B-26 | USP15 regulates neuromuscular functions through the control of alternative RNA slicing | 김재현 | 생명총합과학 |
| B-27 | Production of teadenols from catechins by Aaspergillus sp. (FARM-21280 during liquid fermentation) | 송지현 | 생명총합과학 |
| B-28 | Analysis on distribution of road space in tokyo area for finding necessary level of pedestrian space in compact city | 엄선용 | 생명총합과학 |
| B-29 | 슈퍼 2 상 스테인리스강의 부식특성에 미치는 석출상의 영향 | 김재환 | 신에너지환경 |
| B-30 | Reduction of impurity out-diffusion during HVPE growth of GaN on ZnO by using ZnAl2O4 interlayer | 유진엽 | 신에너지환경 |

| | | | |
|------|---|-----|--------|
| B-31 | Amorphous Silicon Inter-Layer Grating Couplers with Metal Mirrors toward 3D Interconnects | 강준현 | 유기전자재료 |
| B-32 | Superconductivity of Ca ₂ InN with a layered structure embedding anionic indium chain array | 정세훈 | 유기전자재료 |
| B-33 | Preparation of iron oxide-silica composite particle by atmospheric pressure microwave plasma | 김동욱 | 유기전자재료 |
| B-34 | Formation and Characterization of GaAs Nanowire on Silicon Substrate | 권진관 | 전자정보통신 |
| B-35 | Low temperature surface passivation for strained SiGe optical modulator in OEIC for carrier injection type strained SiGe optical modulator applications | 김영현 | 전자정보통신 |
| B-36 | Electrical Characteristics of Ge/Si Hetero-Junction Tunnel Field-Effect Transistors and their Post Annealing Effects | 김민수 | 전자정보통신 |
| B-37 | Design of Load Balancing System for Large-scale SNMP Monitoring | 송태영 | 전자정보통신 |
| B-38 | Ultra-thin body Ge-on insulator nMOSFET by Ge condensation and Sb-diffused S/D | 김우강 | 전자정보통신 |
| B-39 | Study on Strategic Analysis of Regeneration of the Local City Center of Regional Cities Using the Geographic Information System | 송기백 | 정보 |
| B-40 | A Proposal for the Matrix Analysis Model Using the Structure of Online Customer Reviews | 이승형 | 정보 |
| B-41 | Improvement of Particle Swarm Optimization - Proposal of R-best Model and Parameter Adjustment with Consideration to Searching Phase and State - | 최한용 | 정보 |
| B-42 | Formation behavior of nanoclusters in Al-Mg-Si alloys with different Mg and Si composition | 김성녕 | 환경에너지 |
| B-43 | Enhancement of 3C-SiC semiconductor photo-anode performance for water splitting using Pt co-catalysts | 송준태 | 환경에너지 |
| B-44 | Space Guideline for a Humanitarian Logistics Base in an Airport | 최선경 | 환경에너지 |